

References

- (1) M. L. KLEIN, G. K. HORTON, and I. L. FELDMAN, Phys. Rev. 184, 968 (1969).
- (2) R. VEITH, H. J. COUFAL, P. KORPIUN, and E. LÜSCHER, to be published.
- (3) H. PETER, Diploma work, Physik Department der Technischen Hochschule München, 1968.
- (4) M. GSÄNGER, H. EGGER, G. FRITSCH, and E. LÜSCHER, Z. angew. Phys. 26, 334 (1969).
- (5) H. PETER, P. KORPIUN, and E. LÜSCHER, Phys. Letters (Netherlands) 26A, 207 (1968).
- (6) V. G. MANZHELII, V. G. GAVRILKO, and E. I. VOITOVICH, Soviet Phys.-Solid State 9, 1157 (1967).
- (7) V. G. GAVRILKO, V. G. MANZHELII, V. I. KUCHNEV, and A. M. TOLKACHER, Soviet Phys.-Solid State 10, 2524 (1969).
- (8) V. G. MANZHELII, V. G. GAVRILKO, and V. I. KUCHNEV, phys. stat. sol. 34, K55 (1969).
- (9) D. L. LOSEE and R. O. SIMMONS, Phys. Rev. 172, 944 (1968).
- (10) A. O. URVAS, D. L. LOSEE, and R. O. SIMMONS, J. Phys. Chem. Solids 28, 2269 (1967).
- (11) G. L. POLLACK, Rev. mod. Phys. 36, 748 (1964).
- (12) B. F. FIGGINS and B. L. SMITH, Phil. Mag. 5, 186 (1960).
- (13) J. W. STEWART, J. Phys. Chem. Solids 29, 641 (1968).

(Received February 25, 1970)

S. N.
been
field
gree
= 77
on C
crys
in a
volt
(tra
2100
was
in li
ator
 ΔI /
arr
in t
in F
zer
enc
gre
fro
sor